

NEMO

IN THE WIND PENDANT VERTICAL

Arihiro Miyake

Floor and pendant lamp for a warm and widespread LED lighting. The body is manufactured through a technology of torsion and misalignment of the aluminium extruded bar, expressly studied by Nemo (patent pending). It allows a 360° LED emission. Heads are in die-casted aluminium. Diffusers are in opal metacrylate. Heads, base and arms are painted in matt white, matt black, titan grey and gold. For the floor version, switch and dimmer on the cable.



NEMO

IN THE WIND PENDANT VERTICAL

Arihiro Miyake

LED 3000K

Lamping

Source	linear LED
Total power	3x20W
Emission	diffused, 360°
Switching	dimnable, DALI push
Tension	230V
Color temperature	3000K
Luminous flux	5700lm
Typ cri	83
Energy class	A+
Ip class	O
Materials	aluminium + PC
Notes	cable lenght 3m, also available in 120V

Codes

ITW LWW 58
white
ITW LNW 58
white
ITW LGW 58
white
ITW LDW 58
white

Structure

white

Diffuser


black

gold

titan grey

Package 1

Dimensions	28x28x195
Gross weight	7 Kg



NEMO

IN THE WIND PENDANT VERTICAL

Arihiro Miyake

LED 2700K

Lamping

Source	linear LED
Total power	3x20W
Emission	diffused, 360°
Switching	dimmable, DALI push
Tension	230V
Color temperature	2700K
Luminous flux	5700lm
Typ cri	83
Energy class	A+
Ip class	O
Materials	aluminium + PC
Notes	cable lenght 3m, also available in 120V

Codes

	Structure	Diffuser
ITW LWW 55	white	
white		
ITW LNW 55	black	
white		
ITW LGW 55	gold	
white		
ITW LDW 55	titan grey	
white		

Package 1

Dimensions	28x28x195
Gross weight	7 Kg

