

Roberto Paoli

Floor lamp with body in extruded aluminium, heads and base in die-casted aluminium, diffusers in opal and transparent metacrylate. Structure painted in matt white or black. The uplight LED source gives an uplight warm and diffused flood, while the side LED creates an indirect ambient lighting. Dimmable, double switching on the cable.



www.nemolighting.com Page 1



Roberto Paoli

LED

Lamping

Source linear LED + LED board

Total power 41W + 16W
Emission up + back, indirect

Switchingdouble, dimmableTension110V / 240V

Luminous flux 4080lm + 2460lm

Typ cri 83 Energy class A+

Color temperature

Materials aluminium + PMMA

Codes

TRU LNN 22

TRU LWW 22

Structure

3000K

Diffuseur



$\widetilde{\bigcirc}$

Package

 LxPxH (base)
 28x26x20

 Weight (body)
 22x17x191

Weight (base) 8 Parcels 4







Roberto Paoli

LED

Lamping

Source linear LED + LED board

Total power 41W + 16W **Emission** up + back, indirect

Switchingdouble, dimmableTension110V / 240VColor temperature2700K

Luminous flux 4080lm + 2460lm

Typ cri 83 Energy class A+

Materials aluminium + PMMA

Codes

TRU LWW 23 TRU LNN 23 Structure

Diffuseur





Package

 LxPxH (base)
 28x26x20

 Weight (body)
 22x17x191

Weight (base) 8 Parcels 4



